

Amendments to the Claims:

A detailed listing of all the claims that are, or were, in the application is presented below. Current amendments to the claims, including additions being shown by underlining and deletions being shown by strikethrough or double brackets, are expressed in the listing.

Listing of Claims:

Claims 1 to 33 (Canceled).

34. (Currently Amended) A coated freestanding film ~~comprising~~ consisting
essentially of
a freestanding film having opposed first and second sides;
a print layer having a printed pattern or design, the print layer being disposed on
the first side of the film; and
a discontinuous layer forming a pattern or design disposed on the second side of
the film having a gloss level different from the gloss level of the second side of the film.
35. (Original) The coated freestanding film according to claim 34, wherein the
discontinuous layer has a thickness between about 0.1 mils and less than about 0.5 mils.
36. (Original) The coated freestanding film according to claim 35, wherein the
discontinuous layer has a thickness between about 0.1 mils and about 0.45 mils.
37. (Original) The coated freestanding film according to claim 36, wherein the
discontinuous layer has a thickness between about 0.1 mils and about 0.4 mils.

38. (Original) The coated freestanding film according to claim 34, wherein the print layer is at least partially viewable through the film.

39. (Original) The coated freestanding film according to claim 34, wherein the discontinuous layer comprises first and second portions, the first portion having a gloss level different from the gloss level of the second portion.

40. (Original) The coated freestanding film according to claim 34, wherein the print layer comprises a chemical embossing agent.

41. (Original) The coated freestanding film according to claim 34, wherein the film comprises a plurality of film layers.

42. (Original) The coated freestanding film according to claim 34, wherein the discontinuous layer has a portion in-register with a portion of the printed pattern or design.

43. (Original) The coated freestanding film according to claim 34, wherein the film is a rigid or semirigid film.

44. (Original) The coated freestanding film according to claim 34, wherein the film is a vinyl film having less than 5 parts plasticizer per hundred parts by weight of the vinyl resin.

45. (Original) The coated freestanding film according to claim 34, wherein the film has a mechanically embossed surface texture.

46. (Previously Presented) The coated freestanding film according to claim 45, wherein the mechanically embossed surface texture of the film is in-register with the pattern or design of the discontinuous layer.

47. (Currently Amended) The coated freestanding film according to claim [[34]] 46, wherein the discontinuous layer comprises first and second portions, the first portion having a gloss level different from the gloss level of the second portion.

48. (Original) The coated freestanding film according to claim 34, wherein the discontinuous layer comprises a flattening agent, a texturing agent and combinations thereof.

49. (Currently Amended) A coated freestanding film ~~comprising~~ consisting
essentially of
a freestanding film having opposed first and second sides;

a discontinuous layer forming a pattern or design disposed on the second side of the film having a gloss level different from the gloss level of the first side of the film; and
the film having a mechanically embossed surface texture.